

Landwirtschaftsräder Kurmann Technik AG

Preise gültig ab 1.9.2018

Dimension:	Ply:	Profil:	Marke:	Radanschl.	EPT:	Rad- breite	Rad- Durchm.	Tragkraft kg bei:		EDV	Preis inkl. MWSt
								30 km/h	40 km/h		
23x10-12		Läufer	Gumasol	6/161/205	-110	230	575	3770		53675	955.00
30x11.5-14.5		GPS	Bandenmark	6/161/205	0	245	730	4000	3350	53674	950.00
10.0/75-15	10	AW	BKT	6/161/205	0	274	760	1800	1550	53737	257.00
10.0/75-15	10	AW	BKT	6/161/205	-40	274	760	1800	1550	53730	257.00
10.0/75-15	14	AW	BKT	6/161/205	0	274	760	2240	1900	53738	265.00
10.0/75-15	14	AW	BKT	6/161/205	-40	274	760	2240	1900	53739	265.00
10.0/75-15	18	AW	BKT	6/161/205	0	274	760	2650	2360	53740	309.00
10.0/75-15	18	AW	BKT	6/161/205	-40	274	760	2650	2360	53729	309.00
10.0/75-15	10	AS	BKT	6/161/205	0	264	780	1800	1550	53744	277.00
10.0/75-15	10	AS	BKT	6/161/205	-40	264	780	1800	1550	53743	277.00
10.0/75-15	18	AS	BKT	6/161/205	0	264	780	2650	2360	53736	318.00
10.0/75-15	18	AS	BKT	6/161/205	-40	264	780	2650	2360	53742	318.00
31x15.50-15	8	Trac Master	BKT	6/161/205	nach Wunsch	391	792	775	695	53746	470.00
11.5/80-15.3	10	AW	BKT	6/161/205	0	297	844	2300	1950	53775	309.00
11.5/80-15.3	10	AW	BKT	6/161/205	-40	297	844	2300	1950	53776	309.00
11.5/80-15.3	14	AW	BKT	6/161/205	0	297	844	2900	2430	53777	314.00
11.5/80-15.3	14	AW	BKT	6/161/205	-40	297	844	2900	2430	53778	314.00
11.5/80-15.3	18	AW	BKT	6/161/205	0	297	844	3250	2900	53779	354.00
11.5/80-15.3	18	AW	BKT	6/161/205	-40	297	844	3250	2900	53780	354.00
11.5/80-15.3	8	AS	BKT	6/161/205	0	290	867	2060	1700	53781	341.00
11.5/80-15.3	8	AS	BKT	6/161/205	-40	290	867	2060	1700	53782	341.00
11.5/80-15.3	12	AS	BKT	6/161/205	0	290	867		2180	53783	354.00
11.5/80-15.3	12	AS	BKT	6/161/205	-40	290	867		2180	53784	354.00

Dimension:	Ply:	Profil:	Marke:	Radanschl.	EPT:	Rad- breite	Rad- Durchm.	Tragkraft kg bei:			Preis inkl. MWSt
								30 km/h	40 km/h		
13.0/55-16	18	AW	BKT	6/161/205	0	336	770	3250	3000	53785	333.00
15.0/55-17	10	AW	BKT	6/161/205	0	391	850	2575	2120	53673	404.00
15.0/55-17	10	AW	BKT	6/161/205	-45	391	850	2575	2120	53663	404.00
15.0/55-17	14	AW	BKT	6/161/205	0	391	850	3075	2575	53786	418.00
15.0/55-17	14	AW	BKT	6/161/205	-45	391	850	3075	2575	53787	418.00
15.0/55-17	18	AW	BKT	6/161/205	0	391	850		3250	53788	464.00
15.0/55-17	18	AW	BKT	6/161/205	-45	391	850		3250	53789	464.00
15.0/55-17	10	AS	BKT	6/161/205	0	380	890	2575	2120	53672	432.00
15.0/55-17	10	AS	BKT	6/161/205	-45	380	890	2575	2120	53664	432.00
15.0/55-17	14	AS	BKT	6/161/205	0	380	890	3075	2575	53790	477.00
15.0/55-17	14	AS	BKT	6/161/205	-45	380	890	3075	2575	53791	477.00
15.0/55-17	12	Klotz	Conti	6/161/205	0	391	850	2315	2080	53792	499.00
15.0/55-17	12	Klotz	Conti	6/161/205	-45	391	850	2315	2080	53793	499.00
380/55-17	138 A8	Flotation	Vredestein	6/161/205	0	380	850	3120	2790	53794	394.00
380/55-17	138 A8	Flotation	Vredestein	6/161/205	-45	380	850	3120	2790	53795	394.00
425/55R17	134G	MP513 (AS)	BKT	6/161/205	0	421	900		2480	53796	720.00
425/55R17	134G	MP513 (AS)	BKT	6/161/205	-45	421	900		2480	53797	720.00

Dimension:	Ply:	Profil:	Marke:	Radanschl.	EPT:	Rad- breite	Rad- Durchm.	Tragkraft kg bei:			Preis inkl. MWSt
								30 km/h	40 km/h		
19.0/45-17	10	AW	BKT	6/161/205	0	491	866	2800	2360	53798	572.00
19.0/45-17	10	AW	BKT	6/161/205	-35	491	866	2800	2360	53799	572.00
19.0/45-17	10	AW	BKT	6/161/205	-92	491	866	2800	2360	53800	572.00
19.0/45-17	10	AW	BKT	8/220/275	0	491	866	2800	2360	53803	572.00
19.0/45-17	10	AW	BKT	8/220/275	-35	491	866	2800	2360	53804	572.00
19.0/45-17	14	AW	BKT	6/161/205	0	491	866	3350	2800	53807	592.00
19.0/45-17	14	AW	BKT	6/161/205	-35	491	866	3350	2800	53808	592.00
19.0/45-17	14	AW	BKT	6/161/205	-92	491	866	3350	2800	53809	592.00
19.0/45-17	14	AW	BKT	8/220/275	0	491	866	3350	2800	53805	592.00
19.0/45-17	14	AW	BKT	8/220/275	-35	491	866	3350	2800	53806	592.00
19.0/45-17	18	AW	BKT	6/161/205	0	491	866	4500	4000	53810	605.00
19.0/45-17	18	AW	BKT	6/161/205	-35	491	866	4500	4000	53811	605.00
19.0/45-17	18	AW	BKT	6/161/205	-92	491	866	4500	4000	53812	605.00
19.0/45-17	18	AW	BKT	8/220/275	0	491	866	4500	4000	53813	605.00
19.0/45-17	18	AW	BKT	8/220/275	-35	491	866	4500	4000	53814	605.00
19.0/45-17	14	AS	BKT	6/161/205	0	465	865	3350	3000	53831	598.00
19.0/45-17	14	AS	BKT	6/161/205	-35	465	865	3350	3000	53832	598.00
19.0/45-17	14	AS	BKT	6/161/205	-92	465	865	3350	3000	53833	598.00
19.0/45-17	14	AS	BKT	8/220/275	0	465	865	3350	3000	53834	598.00
19.0/45-17	14	AS	BKT	8/220/275	-35	465	865	3350	3000	53835	598.00

Dimension:	Ply:	Profil:	Marke:	Radanschl.	EPT:	Rad- breite	Rad- Durchm.	Tragkraft kg bei:			Preis inkl. MWSt
								30 km/h	40 km/h		
480/45-17	140 A8	Flotation	Vredestein	6/161/205	0	480	865	2880	2575	53820	558.00
480/45-17	140 A8	Flotation	Vredestein	6/161/205	-35	480	865	2880	2575	53821	558.00
480/45-17	140 A8	Flotation	Vredestein	6/161/205	-92	480	865	2880	2575	53822	558.00
480/45-17	140 A8	Flotation	Vredestein	8/220/275	0	480	865	2880	2575	53823	558.00
480/45-17	140 A8	Flotation	Vredestein	8/220/275	-35	480	865	2880	2575	53824	558.00
480/45-17	146 A8	Flotation	Vredestein	6/161/205	0	480	865	3360	3000	53827	589.00
480/45-17	146 A8	Flotation	Vredestein	6/161/205	-35	480	865	3360	3000	53828	589.00
480/45-17	146 A8	Flotation	Vredestein	6/161/205	-92	480	865	3360	3000	53830	589.00
480/45-17	146 A8	Flotation	Vredestein	8/220/275	0	480	865	3360	3000	53825	589.00
480/45-17	146 A8	Flotation	Vredestein	8/220/275	-35	480	865	3360	3000	53826	589.00
500/50-17	10	AW	BKT	6/161/205	0	500	945	3250	2900	53836	652.00
500/50-17	10	AW	BKT	6/161/205	-35	500	945	3250	2900	53837	652.00
500/50-17	10	AW	BKT	6/161/205	-92	500	945	3250	2900	53838	652.00
500/50-17	10	AW	BKT	8/220/275	0	500	945	3250	2900	53839	652.00
500/50-17	10	AW	BKT	8/220/275	-35	500	945	3250	2900	53840	652.00
500/50-17	14	AW	BKT	6/161/205	0	500	945	3875	3550	53841	716.00
500/50-17	14	AW	BKT	6/161/205	-35	500	945	3875	3550	53842	716.00
500/50-17	14	AW	BKT	6/161/205	-92	500	945	3875	3550	53843	716.00
500/50-17	14	AW	BKT	8/220/275	0	500	945	3875	3550	53844	716.00
500/50-17	14	AW	BKT	8/220/275	-35	500	945	3875	3550	53845	716.00

Dimension:	Ply:	Profil:	Marke:	Radanschl.	EPT:	Rad- breite	Rad- Durchm.	Tragkraft kg bei:			Preis inkl. MWSt
								30 km/h	40 km/h		
500/50-17	140 A8	Flotation +	Vredestein	6/161/205	0	500	950	2800	2500	53846	698.00
500/50-17	140 A8	Flotation +	Vredestein	6/161/205	-35	500	950	2800	2500	53847	698.00
500/50-17	140 A8	Flotation +	Vredestein	6/161/205	-92	500	950	2800	2500	53848	698.00
500/50-17	140 A8	Flotation +	Vredestein	8/220/275	0	500	950	2800	2500	53849	698.00
500/50-17	140 A8	Flotation +	Vredestein	8/220/275	-35	500	950	2800	2500	53850	698.00
500/50-17	149 A8	Flotation +	Vredestein	6/161/205	0	505	950	3640	3250	56173	725.00
500/50-17	149 A8	Flotation +	Vredestein	6/161/205	-35	505	950	3640	3250	56174	725.00
500/50-17	149 A8	Flotation +	Vredestein	6/161/205	-92	505	950	3640	3250	56175	725.00
500/50-17	149 A8	Flotation +	Vredestein	8/220/275	0	505	950	3640	3250	56176	725.00
500/50-17	149 A8	Flotation +	Vredestein	8/220/275	-35	505	950	3640	3250	56177	725.00
520/50R17	141D	Flotation Trac	Vredestein	6/161/205	0	505	950	3900	3520	56178	768.00
520/50R17	141D	Flotation Trac	Vredestein	6/161/205	-35	505	950	3900	3520	56179	768.00
520/50R17	141D	Flotation Trac	Vredestein	6/161/205	-92	505	950	3900	3520	56180	768.00
520/50R17	141D	Flotation Trac	Vredestein	8/220/275	0	505	950	3900	3520	56181	768.00
520/50R17	141D	Flotation Trac	Vredestein	8/220/275	-35	505	950	3900	3520	56182	768.00
520/50R17	147D	Flotation Trac	Vredestein	6/161/205	0	505	950	4640	4180	56183	798.00
520/50R17	147D	Flotation Trac	Vredestein	6/161/205	-35	505	950	4640	4180	56184	798.00
520/50R17	147D	Flotation Trac	Vredestein	6/161/205	-92	505	950	4640	4180	56185	798.00
520/50R17	147D	Flotation Trac	Vredestein	8/220/275	0	505	950	4640	4180	56186	798.00
520/50R17	147D	Flotation Trac	Vredestein	8/220/275	-35	505	950	4640	4180	56187	798.00

Dimension:	Ply:	Profil:	Marke:	Radanschl.	EPT:	Rad- breite	Rad- Durchm.	Tragkraft kg bei:			Preis inkl. MWSt
								30 km/h	40 km/h		
340/65R18	149A8	XP27	Michelin	6/161/205	0	339	895	3310	3250	53873	691.00
340/65R18	149A8	XP27	Michelin	8/220/275	-10	339	895	3310	3250	53874	691.00
500/55-20	12	Flotation	Vredestein	8/220/275	0	500	1060	4340	3875	53876	850.00
500/45R22.5	146D	Ridemax FL693M BKT		8/220/275	0	503	1022	3000 bei 65 km/h		70069	1'124.00
560/45R22.5	146D	Flotation Pro	Vredestein	8/220/275	-50	545	1080	4560	4080	53877	1'166.00
560/45R22.5	152D	Flotation Pro	Vredestein	8/220/275	-50	545	1080	5360	4820	56018	1'195.00
560/45R22.5	152D	Flotation Trac	Vredestein	8/220/275	-50	545	1080	5360	4820	69274	1'218.00
560/45R22.5	152D	Ridemax FL693M BKT		8/220/275	-50	543	1076	3550 bei 65 km/h		70068	1'265.00
560/60R22.5	161D	Flotation Trac	Vredestein	10/280/335	-50	560	1230	7000	6300	56188	1'244.00
580/65R22.5	166D	Flotation Trac	Vredestein	10/280/335	-50	585	1300	8000	7200	59044	1'457.00
620/40R22.5	148D	Flotation Pro	Vredestein	8/220/275	-50	610	1070	4760	4280	53879	1'394.00
620/50R22.5	154D	Flotation Pro	Vredestein	10/280/335	-50	610	1170	5660	5100	53880	1'410.00
650/50R22.5	157D	Flotation Pro	Vredestein	10/280/335	-50	650	1250	6250	5600	53882	1'543.00
710/40R22.5	156D	Flotation Pro	Vredestein	10/280/335	-70	705	1140	6050	5440	59047	1'602.00
710/45R22.5	165D	Flotation Trac	Vredestein	10/280/335	-70	730	1230	7800	7000	59048	1'944.00
600/55R26.5	165D	Flotation Trac	Vredestein	10/280/335	-50	620	1350	7775	7005	64993	1'951.00
620/55R26.5	166D	Flotation Pro	Vredestein	10/280/335	-50	625	1360	8005	7210	64994	1'868.00

Dimension:	Ply:	Profil:	Marke:	Radanschl.	EPT:	Rad- breite	Rad- Durchm.	Tragkraft kg bei:			Preis inkl. MWSt
								30 km/h	40 km/h		
205/65R17.5	129J	ST55	Pirelli	6/161/205	130.5	214	722		2180	53883	584.00
215/75R17.5	135J	HN 826+	Windpower	8/220/275	130.5	222	779		2575	53885	430.00
235/75R17.5	143J	HN 826+	Windpower	8/220/275	130.5	225	811		3220	53886	417.00
445/45R19.5	160J	RR905	DoubleCoin	8/220/275	0	460	910		5000	53427	783.00
445/45R19.5	160J	RR905	DoubleCoin	10/280/335	0	460	910		5000	55653	815.00